

PINNED CONNECTION FOR POST AND BEAM

POST AND BEAM CONSTRUCTIONS

It standardizes the beam-to-beam and beam-to-column connections for post-and-beam systems, even with large spans. Modular components and various fastening possibilities solve all types of connections on timber, concrete or steel.

TOLERANCE AND ASSEMBLY

Axial tolerance up to 8 mm (± 4 mm) to accommodate installation inaccuracies. The upper notch allows using a bolt as a positioning aid. The connection can be pre-assembled in the factory and completed on site with bolts.

ROTATIONAL COMPATIBILITY

Slotted holes allow rotation of the connector and ensure hinged structural behaviour. The rotation of the connector is compatible with the inter-story drift caused by earthquake and wind actions, reducing momentum transfer and structural damage.



USA, Canada and more design values available online.



HP




HV



JV



JS



VIDEO



CALCULATION
TOOL



DESIGN
REGISTERED



ETA-23/0824

SERVICE CLASS

SC1

SC2


SC3

MATERIAL

alu
6082

EN AW-6082 aluminium alloy

EXTERNAL LOADS



VIDEO

Scan the QR Code and watch the video on our YouTube channel



FIELDS OF USE

Concealed joint for beam in timber-to-timber, timber-to-concrete or timber-to-steel configuration, suitable for floors and post and beam constructions, even with large spans. Use also outdoors in non aggressive environments.

Can be applied to:

- glulam, softwood and hardwood
- LVL



FIRE

The multiple installation methods allow for concealed installation and fire protection at all times, possibly by inserting FIRE STRIPE GRAPHITE to seal the joist-header interface.


HYBRID STRUCTURES

The HP version can be fixed on timber, concrete or steel. Ideal for hybrid timber-to-concrete or timber-to-steel structures.

CODES AND DIMENSIONS


HP - main element connector (**HEADER**) for timber (**HBSP** screws), concrete and steel

CODE	B x H x P [mm]	B x H x P [in]	pcs
ALUMEGA240HP	95 x 240 x 50	3 3/4 x 9 1/2 x 1 15/16	1
ALUMEGA360HP	95 x 360 x 50	3 3/4 x 14 1/4 x 1 15/16	1
ALUMEGA480HP	95 x 480 x 50	3 3/4 x 19 x 1 15/16	1
ALUMEGA600HP	95 x 600 x 50	3 3/4 x 23 5/8 x 1 15/16	1
ALUMEGA720HP	95 x 720 x 50	3 3/4 x 28 3/8 x 1 15/16	1
ALUMEGA840HP	95 x 840 x 50	3 3/4 x 33 1/16 x 1 15/16	1




HV - main element connector (**HEADER**) for timber with inclined **VGS** screws

CODE	B x H x P [mm]	B x H x P [in]	pcs
ALUMEGA240HV	95 x 240 x 50	3 3/4 x 9 1/2 x 1 15/16	1
ALUMEGA360HV	95 x 360 x 50	3 3/4 x 14 1/4 x 1 15/16	1
ALUMEGA480HV	95 x 480 x 50	3 3/4 x 19 x 1 15/16	1
ALUMEGA600HV	95 x 600 x 50	3 3/4 x 23 5/8 x 1 15/16	1
ALUMEGA720HV	95 x 720 x 50	3 3/4 x 28 3/8 x 1 15/16	1
ALUMEGA840HV	95 x 840 x 50	3 3/4 x 33 1/16 x 1 15/16	1




JV - beam connector (**JOIST**) with inclined **VGS** screws

CODE	B x H x P [mm]	B x H x P [in]	pcs
ALUMEGA240JV	95 x 240 x 49	3 3/4 x 9 1/2 x 1 15/16	1
ALUMEGA360JV	95 x 360 x 49	3 3/4 x 14 1/4 x 1 15/16	1
ALUMEGA480JV	95 x 480 x 49	3 3/4 x 19 x 1 15/16	1
ALUMEGA600JV	95 x 600 x 49	3 3/4 x 23 5/8 x 1 15/16	1
ALUMEGA720JV	95 x 720 x 49	3 3/4 x 28 3/8 x 1 15/16	1
ALUMEGA840JV	95 x 840 x 49	3 3/4 x 33 1/16 x 1 15/16	1



JS - beam connector (**JOIST**) with **STA/SBD** dowels

CODE	B x H x P [mm]	B x H x P [in]	pcs
ALUMEGA240JS	68 x 240 x 49	3 3/4 x 9 1/2 x 1 15/16	1
ALUMEGA360JS	68 x 360 x 49	3 3/4 x 14 1/4 x 1 15/16	1
ALUMEGA480JS	68 x 480 x 49	3 3/4 x 19 x 1 15/16	1
ALUMEGA600JS	68 x 600 x 49	2 11/16 x 23 5/8 x 1 15/16	1
ALUMEGA720JS	68 x 720 x 49	2 11/16 x 28 3/8 x 1 15/16	1
ALUMEGA840JS	68 x 840 x 49	2 11/16 x 33 1/16 x 1 15/16	1






The connectors can be cut in multiples of 60 mm, respecting the minimum height of 240 mm.
For example, it is possible to obtain two ALUMEGA JV connectors with H = 300 mm from the ALUMEGA600JV connector.



CONNECTION BETWEEN CONNECTORS


Make sure that the **JV** and **JS** connectors are correctly installed to the secondary beam, referring to the "**TOP**" marking on the product.



■ ADDITIONAL PRODUCTS - FASTENING


MEGABOLT - cylindrical head bolt with hexagon socket

CODE	material	d ₁ [mm]	L [mm]	d ₁ [in]	L [in]	pcs
MEGABOLT12030	steel class 8.8 zinc plated ISO 4762	M12	30	0.48	1 3/16	100
MEGABOLT12150		M12	150	0.48	6	50
MEGABOLT12270		M12	270	0.48	10 5/8	25




HEX WRENCH 10 mm

CODE	d ₁ [mm]	L [mm]	L [in]	pcs
HEX10L234	10	234	9 3/16	1



ALUMEGA JIG - set of jigs for installing ALUMEGA connectors side by side

CODE	distance between ALUMEGA HP, HV and JV side by side		distance between ALUMEGA JS side by side		L [mm]	pcs
	[mm]	[in]	[mm]	[in]		
JIGALUMEGA10	10	3/8	37	1 7/16	82 (1J) - 97 (1H)	6 + 6
JIGALUMEGA22	22	7/8	49	1 15/16	94 (2J) - 109 (2H)	6 + 6



product	description		d [mm]	support [mm]	reference connector	pag.
HBS PLATE HBS PLATE EVO	pan head screw		10		ALUMEGA HP	573
KOS	hexagonal head bolt		12		ALUMEGA HP	168
VGS VGS EVO	fully threaded countersunk screw		9		ALUMEGA HV ALUMEGA JV	575
VGU	45° washer for VGS		VGS Ø9		ALUMEGA HV ALUMEGA JV	569
JIG VGU	JIG VGU template		VGS Ø9		ALUMEGA HV ALUMEGA JV	569
STA STA A2 AISI304	smooth dowel		16		ALUMEGA JS	162
SBD	self-drilling dowel		7,5		ALUMEGA JS	154
LBS HARDWOOD EVO	C4 EVO round head screw on hardwoods		5		ALUMEGA HP ALUMEGA HV ALUMEGA JV ALUMEGA JS	572
INA	the threaded rod for chemical anchors		12		ALUMEGA HP	562
VIN-FIX	vinyl ester chemical anchor		-		ALUMEGA HP	545
ULS 440	washer		12		ALUMEGA HP	176

■ RELATED PRODUCTS



TAPS



FIRE STRIPE GRAPHITE



FIRE SEALING SILICONE




MS SEAL




FIRE SEALING ACRYLIC

GEOMETRY


HP - main element connector (**HEADER**) for timber (HBSP screws), concrete and steel




HV - main element connector (**HEADER**) for timber with inclined **VGS** screws



JV - beam connector (**JOIST**) with inclined **VGS** screws



JS - beam connector (**JOIST**) with **STA/SBD** dowels







			HP	HV	JV	JS
flange thickness	s ₁	[mm]	9	9	8	5
web thickness	s ₂	[mm]	8	8	6	6
flange length	L _A	[mm]	95	95	95	68
web length	L _B	[mm]	50	50	49	49
small flange-holes	Ø ₁	[mm]	5	5	5	5
flange slotted holes	Ø ₂ x L ₂	[mm]	-	Ø14 x 33	Ø14 x 33	-
web slotted holes	Ø ₃ x L ₃	[mm]	Ø13 x 20	Ø13 x 20	-	-
web threaded holes	Ø ₄	[mm]	-	-	M12	M12

FASTENING OPTIONS




Two main beam connector types (HP and HV) and two secondary beam connector types (JV and JS) are available. Fastening options offer design freedom in terms of structural element cross-sections and strengths.

HP - main element connector (HEADER) for timber (HBSP screws), concrete and steel

CODE	 HBS PLATE Ø10 [pcs]	 partial fastening ⁽¹⁾ KOS Ø12 [pcs]	 VIN-FIX anchor Ø12 x 245 [pcs]	 bolt Ø12 [pcs]
ALUMEGA240HP	14	8	6	6
ALUMEGA360HP	22	12	8	8
ALUMEGA480HP	30	16	12	10
ALUMEGA600HP	38	20	16	12
ALUMEGA720HP	46	24	18	14
ALUMEGA840HP	54	28	20	16

⁽¹⁾Use the two outer rows of holes.




HV - main element connector (HEADER) for timber with inclined VGS screws

CODE	 total fastening VGS Ø9 + VGU945 [n _{screw} + n _{washer}]	 partial fastening ⁽²⁾ VGS Ø9 + VGU945 [n _{screw} + n _{washer}]	 LBS HARDWOOD EVO Ø5 x 100 120 ⁽³⁾ [pcs]
ALUMEGA240HV	8 + 8	6 + 6	6
ALUMEGA360HV	12 + 12	10 + 10	10
ALUMEGA480HV	16 + 16	14 + 14	14
ALUMEGA600HV	20 + 20	18 + 18	18
ALUMEGA720HV	24 + 24	22 + 22	22
ALUMEGA840HV	28 + 28	26 + 26	26

⁽²⁾Do not use the first row of holes.

⁽³⁾The use of LBS HARDWOOD EVO screws is mandatory.



JV - beam connector (JOIST) with inclined VGS screws

CODE	 total fastening VGS Ø9 + VGU945 [n _{screw} + n _{washer}]	 partial fastening ⁽⁴⁾ VGS Ø9 + VGU945 [n _{screw} + n _{washer}]	 LBS HARDWOOD EVO Ø5 x 100 120 ⁽⁵⁾ [pcs]
ALUMEGA240JV	8 + 8	6 + 6	6
ALUMEGA360JV	12 + 12	10 + 10	10
ALUMEGA480JV	16 + 16	14 + 14	14
ALUMEGA600JV	20 + 20	18 + 18	18
ALUMEGA720JV	24 + 24	22 + 22	22
ALUMEGA840JV	28 + 28	26 + 26	26

⁽⁴⁾Do not use the last row of holes.

⁽⁵⁾The use of LBS HARDWOOD EVO screws is mandatory.

JS - beam connector (JOIST) with STA/SBD dowels


CODE	 STA Ø16 [pcs]	 SBD Ø7,5 [pcs]
ALUMEGA240JS	4	14
ALUMEGA360JS	6	22
ALUMEGA480JS	8	30
ALUMEGA600JS	10	38
ALUMEGA720JS	12	46
ALUMEGA840JS	14	54

MEGABOLT

H [mm]	total fastening MEGABOLT Ø12 [pcs]
240	4
360	6
480	8
600	10
720	12
840	14

INSTALLATION | ALUMEGA HP

MINIMUM DISTANCES AND DIMENSIONS



Primary beam height $H_H \geq H + 90\text{ mm}$, where H is the connector height.
The spacing between connectors refers to timber elements with density $\rho_k \leq 420\text{ kg/m}^3$, screws inserted without pre-drilling hole and for stresses F_v and F_{up} . For other configurations refer to ETA-23/0824.

ALUMEGA HP - minimum distances

main element-timber		HBS PLATE Ø10			
		column load-to-grain angle $\alpha = 0^\circ$		beam load-to-grain angle $\alpha = 90^\circ$	
screw-screw	a_1 [mm]	-	-	$\geq 5 \cdot d$	≥ 50
screw-unloaded end	$a_{3,c}$ [mm]	$\geq 7 \cdot d$	≥ 70	-	-
screw-stressed edge	$a_{4,t}$ [mm]	-	-	$\geq 10 \cdot d$	≥ 100
screw-unloaded edge	$a_{4,c}$ [mm]	$\geq 3,6 \cdot d$	≥ 36	$\geq 5 \cdot d$	≥ 50


ALUMEGA HP - side-by-side connectors

		single connector	double connector	triple connector
column width	H_c [mm]	139	256	373

concrete		chemical anchor VIN-FIX Ø12
minimum support thickness	h_{\min} [mm]	$h_{\text{ef}} + 30 \geq 100$
concrete hole diameter	d_0 [mm]	14
tightening torque	T_{inst} [Nm]	40

h_{ef} = effective anchoring depth in concrete


TIMBER-TO-CONCRETE FASTENING PATTERNS



Depending on stress, minimum concrete thickness and edge distances, different fastening patterns can be used; we recommend using the free Concrete Anchors software (www.rothoblaas.com).

■ INSTALLATION | ALUMEGA HV

MINIMUM DISTANCES AND DIMENSIONS



ALUMEGA HV - single connector

H [mm]	VGS Ø9 x 180			VGS Ø9 x 240			VGS Ø9 x 300		
	column $B_c \times H_c$ [mm]	main beam $B_H \times H_H$ [mm]	c_H [mm]	column $B_c \times H_c$ [mm]	main beam $B_H \times H_H$ [mm]	c_H [mm]	column $B_c \times H_c$ [mm]	main beam $B_H \times H_H$ [mm]	c_H [mm]
240	118 x 132	118 x 328	88	159 x 132	159 x 371	131	201 x 132	201 x 413	173
360	118 x 132	118 x 448		159 x 132	159 x 491		201 x 132	201 x 533	
480	118 x 132	118 x 568		159 x 132	159 x 611		201 x 132	201 x 653	
600	118 x 132	118 x 688		159 x 132	159 x 731		201 x 132	201 x 773	
720	118 x 132	118 x 808		159 x 132	159 x 851		201 x 132	201 x 893	
840	118 x 132	118 x 928		159 x 132	159 x 971		201 x 132	201 x 1013	

ALUMEGA HV - minimum distances

main element-timber			VGS Ø9	
screw-screw	a_1	[mm]	$\geq 5 \cdot d$	≥ 45
screw-screw	a_2	[mm]	$\geq 5 \cdot d$	≥ 45
screw-column end	$a_{1,CG}$	[mm]	$\geq 8,4 \cdot d$	≥ 76
beam/column screw-edge	$a_{2,CG}$	[mm]	$\geq 4 \cdot d$	≥ 36

ALUMEGA HV - side-by-side connectors

			single connector	double connector	triple connector
column width	H_c	[mm]	132	237	342


NOTES

- The distances $a_{1,CG}$ and $a_{2,CG}$ refer to the centre of gravity of the threaded part of the screw in the timber element.
- In addition to the stated minimum distances $a_{1,CG}$ and $a_{2,CG}$, it is recommended to use a $c_w \geq 10$ mm timber cover.
- The minimum length of VGS screws is 180 mm.
- The spacing between connectors refers to timber elements with density $\rho_k \leq 420 \text{ kg/m}^3$, screws inserted without pre-drilling hole and for stresses F_v , F_{ax} and F_{up} . For other configurations refer to ETA-23/0824.


■ INSTALLATION | ALUMEGA JV

MINIMUM DISTANCES AND DIMENSIONS

total fastening on secondary beam
single connector



total fastening on secondary beam
side-by-side connectors



ALUMEGA JV - single connector

H [mm]	VGS Ø9 x 180		c _j [mm]	VGS Ø9 x 240		c _j [mm]	VGS Ø9 x 300		c _j [mm]
	b _j x h _j [mm]			b _j x h _j [mm]			b _j x h _j [mm]		
240	132 x 333	93	136	132 x 376	136	178	132 x 418	178	178
360	132 x 453			132 x 496			132 x 538		
480	132 x 573			132 x 616			132 x 658		
600	132 x 693			132 x 736			132 x 778		
720	132 x 813			132 x 856			132 x 898		
840	132 x 933			132 x 976			132 x 1018		

ALUMEGA JV - minimum distances

secondary beam-timber			VGS Ø9	
screw-screw	a ₂	[mm]	≥ 5·d	≥ 45
screw-beam edge	a _{2,CG,J1}	[mm]	≥ 8,4·d	≥ 76
screw-beam edge	a _{2,CG,J2}	[mm]	≥ 4·d	≥ 36

ALUMEGA JV - single connector


			single connector	double connector	triple connector
secondary beam width	b _j	[mm]	132	237	342

NOTES

- The distances a_{2,CG,J1} and a_{2,CG,J2} refer to the centre of gravity of the threaded part of the screw in the timber element.
- In addition to the minimum distance a_{2,CG,J1} indicated, it is recommended to use a c_w ≥ 10 mm timber cover.
- The minimum length of VGS screws is 180 mm.
- The spacing between connectors refers to timber elements with density ρ_k ≤ 420 kg/m³, screws inserted without pre-drilling hole and for stresses F_v, F_{ax} and F_{up}. For other configurations refer to ETA-23/0824.

INSTALLATION | ALUMEGA JS

MINIMUM DISTANCES AND DIMENSIONS




Spacing between ALUMEGA JS side-by-side ≥ 37 mm meets the minimum spacing requirement of 10 mm between HV connectors on beam and column. If the JS connector is attached to an HP connector on beam and column, the minimum spacing between connectors is 49 mm.

secondary beam-timber				SBD Ø7,5	STA Ø16
dowel-dowel	$a_1^{(1)}$	[mm]	$\geq 3 \cdot d \mid \geq 5 \cdot d$	$\geq 23 \mid \geq 38$	-
dowel-dowel	a_2	[mm]	$\geq 3 \cdot d$	≥ 23	≥ 48
dowel-beam end	$a_{3,t}$	[mm]	$\max(7 \cdot d; 80 \text{ mm})$	≥ 80	≥ 112
dowel-top of beam	$a_{4,t}$	[mm]	$\geq 4 \cdot d$	≥ 30	≥ 64
dowel-bottom of beam	$a_{4,c}$	[mm]	$\geq 3 \cdot d$	≥ 23	≥ 48
dowel-bracket edge	$a_s^{(2)}$	[mm]	$\geq 1,2 \cdot d_0^{(3)}$	≥ 10	≥ 21


(1) Spacing between SBD dowels parallel to the fibre for load-to-grain angle $\alpha = 90^\circ$ (F_v or F_{up} stress) and $\alpha = 0^\circ$ (F_{ax} stress) respectively.
(2) It is advisable to pay special attention to the positioning of the SBD dowels with respect to the distance from the bracket edge, using a pilot hole if necessary.
(3) Hole diameter.

ASSEMBLY OF CONNECTORS OF DIFFERENT HEIGHTS




A secondary beam connector (JV and JS) may be attached to a main element connector (HV and HP) of a different height. The configurations shown allow for balancing the strengths between the HP and JV connectors, and limit the extension of the inclined screws beyond the outline of the connectors (example on the left). The final strength is the minimum between the strength of the connectors and the bolts.

PARTIAL FASTENING FOR HV AND JV CONNECTORS



Partial fastening is permitted for the HV and JV connectors by omitting the first and last row of screws, respectively. This configuration is particularly favourable for beam-to-column connections, with the column extrados aligned with the beam extrados.


STRUCTURAL VALUES | ALUMEGA HP | F_v | F_{ax} | F_{up}



H [mm]	$R_{v,k}$ $R_{up,k}$								$R_{ax,k}$	
	$R_{v,k}$ timber - $R_{up,k}$ timber				$R_{v,k}$ alu		$R_{up,k}$ alu		$R_{ax,k}$ timber	$R_{ax,k}$ alu ⁽¹⁾
	column		main beam		total fastening	per bolt	total fastening	per bolt		
	HBSP Ø10 x 100 [kN]	HBSP Ø10 x 180 [kN]	HBSP Ø10 x 100 [kN]	HBSP Ø10 x 180 [kN]	MEGABOLT M12 [kN]	MEGABOLT M12 [kN]	MEGABOLT M12 [kN]	MEGABOLT M12 [kN]	HBSP Ø10 x 180 [kN]	Total [kN]
240	89	118	106	142	188	47,0	139	46,3	159	100
360	137	179	172	227	286	47,7	237	47,4	239	167
480	182	238	237	311	384	48,0	335	47,9	315	223
600	226	295	302	395	483	48,3	433	48,2	390	279
720	269	350	367	479	581	48,4	532	48,3	463	335
840	311	405	432	562	679	48,5	630	48,5	535	391

⁽¹⁾Strength referred to total fastening with MEGABOLT M12.

STRUCTURAL VALUES | ALUMEGA HP | F_v




CONNECTOR	fastening	$R_{v,d}$ concrete					
		H=240 [kN]	H=360 [kN]	H=480 [kN]	H=600 [kN]	H=720 [kN]	H=840 [kN]
ALUMEGA HP	VIN-FIX anchor Ø12 x 245	157	213	322	429	486	541

NOTES

- In the calculation, C25/30 concrete with thin reinforcement was considered in the absence of distances from the edge.
- Chemical anchor VIN-FIX according to ETA-20/0363 with threaded rods (type INA) of minimum steel class 8.8 with $h_{ef} = 225$ mm.
- The design values are according to EN 1992:2018 with $\alpha_{SUS} = 0,6$.
- The values in the table are design values referring to the dowelling patterns on page 102.
- Aluminium-side strength must be verified in accordance with ETA-23/0824.
- Refer to ETA-23/0824 for the calculation of $F_{ax,d}$, $F_{up,d}$ and $F_{lat,d}$.


STRUCTURAL VALUES | ALUMEGA HV | F_v | F_{ax} | F_{up}



H [mm]	$R_{v,k}$							$R_{ax,k}$		$R_{up,k}$
	$R_{v,k \text{ screw}}$				$R_{v,k \text{ alu}}$		$R_{ax,k \text{ timber}}^{(3)}$	$R_{ax,k \text{ alu}}$		$R_{up,k \text{ timber}}^{(2)}$
	$R_{v,k \text{ timber}}^{(1)(2)(4)}$			$R_{tens,45,k}$ VGS Ø9	total fastening	per bolt		total fastening	per bolt	VGS Ø9
	VGS Ø9 x 180	VGS Ø9 x 240	VGS Ø9 x 300		MEGABOLT M12	MEGABOLT M12		MEGABOLT M12	MEGABOLT M12	
	[kN]	[kN]	[kN]		[kN]	[kN]	VGS Ø9 [kN]	[kN]	[kN]	[kN]
240	122	-	-	179	188	47,0	$38 + 0,8 \cdot F_{v,Ek}$	100	33,4	32
360	166	-	-	244	286	47,7	$57 + 0,8 \cdot F_{v,Ek}$	167	33,4	48
480	221	308	-	325	384	48,0	$76 + 0,8 \cdot F_{v,Ek}$	234	33,4	64
600	276	385	-	406	483	48,3	$94 + 0,8 \cdot F_{v,Ek}$	300	33,4	80
720	332	463	593	488	581	48,4	$113 + 0,8 \cdot F_{v,Ek}$	367	33,4	96
840	387	540	692	569	679	48,5	$132 + 0,8 \cdot F_{v,Ek}$	434	33,4	112

STRUCTURAL VALUES | ALUMEGA JV | F_v | F_{ax} | F_{up}

secondary beam




H [mm]	$R_{v,k}$							$R_{ax,k}$		$R_{up,k}$
	$R_{v,k \text{ screw}}$				$R_{v,k \text{ alu}}$		$R_{ax,k \text{ timber}}^{(3)}$	$R_{ax,k \text{ alu}}$		$R_{up,k \text{ timber}}^{(2)}$
	$R_{v,k \text{ timber}}^{(1)(2)(4)}$			$R_{tens,45,k}$ VGS Ø9	total fastening	per bolt		total fastening	per bolt	VGS Ø9
	VGS Ø9 x 180	VGS Ø9 x 240	VGS Ø9 x 300		MEGABOLT M12	MEGABOLT M12		MEGABOLT M12	MEGABOLT M12	
	[kN]	[kN]	[kN]		[kN]	[kN]	VGS Ø9 [kN]	[kN]	[kN]	[kN]
240	122	-	-	179	188	47,0	$29 + 0,8 \cdot F_{v,Ek}$	100	33,4	18
360	166	-	-	244	286	47,7	$44 + 0,8 \cdot F_{v,Ek}$	167	33,4	26
480	221	308	-	325	384	48,0	$59 + 0,8 \cdot F_{v,Ek}$	234	33,4	35
600	276	385	-	406	483	48,3	$73 + 0,8 \cdot F_{v,Ek}$	300	33,4	44
720	332	463	593	488	581	48,4	$88 + 0,8 \cdot F_{v,Ek}$	367	33,4	53
840	387	540	692	569	679	48,5	$103 + 0,8 \cdot F_{v,Ek}$	434	33,4	62

NOTES

- (1) For intermediate values of the screw length, it is possible to interpolate the resistance linearly.
- (2) The $R_{v,k \text{ timber}}$ and $R_{up,k \text{ timber}}$ strengths for partial fastening can be determined by multiplying by the following ratio: (number of screws for partial fastening)/(number of screws for total fastening).
- (3) $F_{v,Ek}$ is the characteristic permanent action in the F_v direction. The design value is derived according to EN 1990 $F_{v,Ed} = F_{v,Ek} \cdot \gamma_{G,inf}$.

- (4) The test campaign for ETA-23/0824 resulted in the certification of all ALUMEGA HV and JV models with screw lengths up to 520 mm. To increase safety in the event of incorrect installation, the use of connectors with short screws is preferred. In any case, it is recommended to drill a guide hole with JIG VGU and insert screws with controlled torque (max. 20 Nm) using TORQUE LIMITER or BEAR torque wrench.



H [mm]	$R_{v,k} R_{up,k}$						$R_{ax,k}$			
	$R_{v,k \text{ timber}} - R_{up,k \text{ timber}}$		$R_{v,k \text{ alu}}$		$R_{up,k \text{ alu}}$		$R_{ax,k \text{ timber}}$		$R_{ax,k \text{ alu}}$	
	STA Ø16 x 240	SBD Ø7.5 x 195	total fastening MEGABOLT M12	per bolt MEGABOLT M12	total fastening MEGABOLT M12	per bolt MEGABOLT M12	STA Ø16 x 240	SBD Ø7.5 x 195	total fastening MEGABOLT M12	per bolt MEGABOLT M12
	[kN]	[kN]	[kN]	[kN]	[kN]	[kN]	[kN]	[kN]	[kN]	[kN]
240	77	107	188	47,0	139	46,3	164	206	100	33,4
360	142	206	286	47,7	237	47,4	245	323	167	33,4
480	206	314	384	48,0	335	47,9	327	441	234	33,4
600	269	425	483	48,3	433	48,2	409	558	300	33,4
720	331	534	581	48,4	532	48,3	491	676	367	33,4
840	394	643	679	48,5	630	48,5	573	794	434	33,4

NOTES

- The values provided are calculated with a routing in the 12 mm thick timber.
- The values provided are in accordance with the patterns on page 105. For SBD dowels $a_1 = 64$ mm, $a_{3,t} = 80$ mm, $a_5 = 15$ mm (side bracket edge) and $a_5 = 30$ mm (bottom/top bracket edge).
- STA smooth dowel Ø16: $M_{y,k} = 191000$ Nmm.
- SBD self-drilling dowels Ø7,5: $M_{y,k} = 75000$ Nmm.

GENERAL PRINCIPLES

- The dimensions indicated in the installation section are minimum dimensions of structural elements, for screws inserted without pre-drilling hole, and do not take fire resistance requirements into account.
- For the calculation process a timber characteristic density $\rho_k = 385$ kg/m³ has been considered.
- The coefficients k_{mod} , γ_M and γ_{M2} should be taken according to the current regulations used for the calculation.
- Dimensioning and verification of timber and concrete elements must be carried out separately.
- Characteristic values are consistent with EN 1995-1-1, EN 1999-1-1 and in accordance with ETA-23/0824.
- The following verification shall be satisfied for combined loading:

$$\left(\frac{F_{ax,d}}{R_{ax,d}} \right)^2 + \left(\frac{F_{v,d}}{R_{v,d}} \right)^2 + \left(\frac{F_{up,d}}{R_{up,d}} \right)^2 + \left(\frac{F_{lat,d}}{R_{lat,d}} \right)^2 \leq 1$$

$F_{v,d}$ and $F_{up,d}$ are forces acting in opposite directions. Therefore only one of the forces $F_{v,d}$ and $F_{up,d}$ can act in combination with the forces $F_{ax,d}$ or $F_{lat,d}$. Refer to ETA-23/0824 for the calculation of $F_{lat,d}$.

- The $F_{ax,d}$ strength is activated as a result of the initial sliding given by the slotted holes, refer to the TENSILE STRENGTH section on page 111.
- Refer to ETA-23/0824 for the sliding modulus.
- ETA-23/0824 does not cover eccentricity in F_v loads, which means the application of torque on the connection. Designers should evaluate whether to use an additional fastening system or ALUMEGA connectors placed side by side.

SIDE-BY-SIDE CONNECTORS

- Particular attention must be paid to alignment during installation, in order to avoid different stresses between connectors. The use of the JIGALUMEGA assembly template is recommended.
- The total strength of a connection consisting of up to three side-by-side connectors is the sum of the strength of the individual connectors.

ALUMEGA HP-ALUMEGA JS

- Design values can be obtained from characteristic values as follows:

$$R_{v,d} = \min \left\{ \begin{array}{l} \frac{R_{v,k \text{ timber}} \cdot k_{mod}}{\gamma_M} \\ \frac{R_{v,k \text{ alu}}}{\gamma_{M2}} \end{array} \right. \quad R_{up,d} = \min \left\{ \begin{array}{l} \frac{R_{up,k \text{ timber}} \cdot k_{mod}}{\gamma_M} \\ \frac{R_{up,k \text{ alu}}}{\gamma_{M2}} \end{array} \right.$$

$$R_{ax,d} = \min \left\{ \begin{array}{l} \frac{R_{ax,k \text{ timber}} \cdot k_{mod}}{\gamma_M} \\ \frac{R_{ax,k \text{ alu}}}{\gamma_{M2}} \end{array} \right.$$

- For F_{ax} stresses, the splitting of the main beam or column caused by forces perpendicular to the fibre (ALUMEGA HP) must be checked separately.
- The end of the secondary beam must be in contact with the wing of the JS connector.

ALUMEGA HV-ALUMEGA JV


- Design values can be obtained from characteristic values as follows:

$$R_{v,d} = \min \left\{ \begin{array}{l} \frac{R_{v,k \text{ timber}} \cdot k_{mod}}{\gamma_M} \\ \frac{R_{tens,45,k}}{\gamma_{M2}} \\ \frac{R_{v,k \text{ alu}}}{\gamma_{M2}} \end{array} \right. \quad R_{up,d} = \frac{R_{up,k \text{ timber}} \cdot k_{mod}}{\gamma_M}$$

$$R_{ax,d} = \min \left\{ \begin{array}{l} \frac{R_{ax,k \text{ timber}} \cdot k_{mod}}{\gamma_M} \\ \frac{R_{ax,k \text{ alu}}}{\gamma_{M2}} \end{array} \right.$$


■ MAIN CHARACTERISTICS

ASSEMBLY TOLERANCE




It offers the greatest assembly tolerance of any high-strength connector on the market: $\delta_{ax} = 8 \text{ mm } (\pm 4 \text{ mm})$, $\delta_{lat} = 3 \text{ mm } (\pm 1,5 \text{ mm})$ e $\Phi = \pm 6^\circ$.

MODULARITY




Available in 6 standard sizes (heights); the height H can be changed due to the modular connector geometry. In addition, connectors can be placed side-by-side to meet geometric or strength requirements.

INTER-STOREY DRIFT FOR HORIZONTAL ACTIONS




The rotation of the connector is compatible with the inter-storey drift caused by earthquake or wind actions and helps reducing momentum transfer and structural damage.

ROTATION FOR GRAVITATIONAL LOADS




For gravitational loads, the connector has a hinged structural behaviour and ensures free rotation at the ends of the beam.

STRUCTURAL STRENGTH



The connector withstands high axial tensile forces, allowing the catenary effect to develop in accidental situations. This contributes to the structural strength of the building, ensuring greater safety and resistance.


DISASSEMBLY




























Particularly suitable for facilitating the dismantling of temporary structures or structures that have reached the end of their useful life. The connection with ALUMEGA can be easily disassembled by removing the MEGABOLT bolts, thus simplifying the separation of components (Design for Disassembly).

■ INSTALLATION CONFIGURATIONS

The standard configuration for the manufacture of timber elements consists in a nominal 4 mm gap.
On site, a variety of configurations can occur between the two limiting cases: zero gap and maximum 8 mm gap.



If it is required to limit the gap in the construction, for example due to fire resistance requirements of the connection, the depth of the routing in the secondary beam can be modified. As the depth of the routing increases, the gap between the secondary beam and the primary element is reduced and, at the same time, the axial installation tolerance is reduced. The limit case, for which particular precision during assembly is required, is achieved with a routing depth of 67 mm and zero axial installation gap/tolerance.

routing depth s [mm]	assembled connectors size P_c [mm]								
	59	60	61	62	63	64	65	66	67
59	 $g = 0 \text{ mm}$	 $g = 1 \text{ mm}$	 $g = 2 \text{ mm}$	 $g = 3 \text{ mm}$	 $g = 4 \text{ mm}$	 $g = 5 \text{ mm}$	 $g = 6 \text{ mm}$	 $g = 7 \text{ mm}$	 $g = 8 \text{ mm}$
61	-	-	 $g = 0 \text{ mm}$	 $g = 1 \text{ mm}$	 $g = 2 \text{ mm}$	 $g = 3 \text{ mm}$	 $g = 4 \text{ mm}$	 $g = 5 \text{ mm}$	 $g = 6 \text{ mm}$
63	-	-	-	-	 $g = 0 \text{ mm}$	 $g = 1 \text{ mm}$	 $g = 2 \text{ mm}$	 $g = 3 \text{ mm}$	 $g = 4 \text{ mm}$
65	-	-	-	-	-	-	 $g = 0 \text{ mm}$	 $g = 1 \text{ mm}$	 $g = 2 \text{ mm}$
67	-	-	-	-	-	-	-	-	 $g = 0 \text{ mm}$

Fire resistance requirements can be met by limiting the gap or by using dedicated products for fire protection of metal elements, such as FIRE STRIPE GRAPHITE, FIRE SEALING SILICONE, MS SEAL and FIRE SEALING ACRYLIC.

INTELLECTUAL PROPERTY

- Some ALUMEGA models are protected by the following Registered Community Designs: RCD 015032190-0002 | RCD 015032190-0003 | RCD


015032190-0004 | RCD 015032190-0005 | RCD 015032190-0006 | RCD 015032190-0007 | RCD 015032190-0008 | RCD 015032190-0009.

TENSILE STRENGTH

The strength values F_{ax} are valid as a result of the initial sliding given by the horizontally slotted holes in the ALUMEGA HP and HV connectors. If there are design requirements according to which the connection must be able to withstand tensile stress without initial sliding or limited initial sliding, one of the following options is recommended:

- In the case of a concealed connection, it is possible to modify the depth of the routing in the secondary beam (or in the column) in such a way that the axial sliding is entirely or partially reduced. Refer to the INSTALLATION CONFIGURATIONS section.
- Use an additional fastening system positioned at the top of the beam. Standard (e.g. WHT PLATE T) or customised metal plates as well as screw systems can be used, depending on the geometrical and strength requirements.
- Once the connection assembly is complete, a SBD self-drilling dowel can be inserted in the middle of the assembled connectors. It is advisable to pay particular attention to the positioning of the dowel, ensuring that the functionality and capacity of the MEGABOLT bolts and VGU washers are not interfered with and compromised, possibly using a pilot hole.

The proposed solutions can change the rotational stiffness of the connection and its hinge behaviour.





ROTATIONAL COMPATIBILITY

The ALUMEGA HV and HP connectors have horizontally slotted holes, which not only offer installation tolerance, but also allow free rotation of the connection. The table shows the maximum free rotation α_{free} of the connection and the respective storey-drift, as a function of the height H of the connector. The connector, once it has reached α_{free} rotation has a further $\alpha_{semi-rigid}$ rotation before failure. Rotation $\alpha_{semi-rigid}$ occurs due to the deformation of the aluminium connector and its fastening.


The moment-rotation graph shows a comparison between the theoretical behaviour of a connection with ALUMEGA and that of a common semi-rigid connection.

For a connection with ALUMEGA, it is possible to assume a first phase, the extension of which is a function of H , in which the behaviour is hinge-like; in a second phase, semi-rigid behaviour can be assumed.


It should be pointed out that free rotation takes place without deformation or damage to the aluminium and fasteners, and that the above assessments are to be confirmed experimentally. See www.rothoblaas.com for updates.




H [mm]	maximum free rotation	STOREY-DRIFT
	α_{free} [°]	δ/h [%]
240	2,5	4,4
360	1,5	2,7
480	1,1	1,9
600	0,8	1,5
720	0,7	1,2
840	0,6	1,0




■ "TOP-DOWN" INSTALLATION WITH ROUTING IN THE SECONDARY BEAM




1 Make the routing in the secondary beam and drill the holes (min. Ø25) for the MEGABOLT bolts. Position the ALUMEGA JV connector on the secondary beam paying particular attention to the correct orientation with reference to the "TOP" marking on the connector. Fasten the Ø5 LBS HARDWOOD EVO positioning screws.



2 Place the VGU washer in the slotted hole and, using the JIG-VGU jig, drill a Ø5 pilot hole with a minimum length of 50 mm. Install the VGS screw and respect the 45° angle of insertion. Insert the MEGABOLT bolts in the following way: the first bolt must pass completely through both cores of the connector, while the other bolts must only pass through the first core.




3 Position the ALUMEGA HP connector on the column, fasten the Ø5 LBS HARDWOOD EVO positioning screws (optional) and the HBS PLATE screws. Hook the secondary beam from top to bottom using the upper positioning notch in the ALUMEGA HP connector.




4 Fully tighten the MEGABOLT bolts with a 10 mm hexagonal wrench. Place the TAPS timber plugs in the circular holes and insert the closing board, hiding the connection for fire resistance requirements.


■ "TOP-DOWN" INSTALLATION WITH ROUTING IN THE COLUMN




1 Place the three JV connectors assembled with template and bolts on the secondary beam. Once the Ø5 LBS HARDWOOD EVO positioning screws are fastened, remove the jigs and bolts.



2 Place the VGU washer in the slotted hole and, using the JIG-VGU jig, drill a Ø5 pilot hole with a minimum length of 50 mm. Install the VGS screw and respect the 45° angle of insertion. Insert the upper MEGABOLT bolt through the three JV connectors.




3 Make the routing in the column and drill the holes (min. Ø25) for the MEGABOLT bolts. Use the jig for positioning the ALUMEGA HV connectors. Fasten the Ø5 LBS HARDWOOD EVO positioning screws. Place the VGU washer in the slotted hole and, using the JIG-VGU jig, drill a Ø5 pilot hole with a minimum length of 50 mm. Install the VGS screw and respect the 45° angle of insertion.



4 Hook the secondary beam from top to bottom using the upper positioning notch in the ALUMEGA HV connectors. Insert the remaining MEGABOLT bolts and screw them in completely with a 10 mm hexagonal wrench.

0




JIG INSTALLATION

Place the JV connectors side by side and position the jigs at two rows of M12 holes in the connectors. Insert the MEGABOLT bolts through the M12 threaded holes, taking care to maintain the alignment between connectors. The use of the jig for HP and HV connectors is similar, it is recommended to use M12 nuts to avoid MEGABOLT bolts slipping out during installation.




MANUALS


■ "BOTTOM-UP" INSTALLATION WITH ROUTING IN THE SECONDARY BEAM




Carry out the routing at partial height in the secondary beam and drill the holes for the MEGABOLT bolts (min. Ø25) and the STA dowels Ø16. Position the ALUMEGA JS connector on the secondary beam paying particular attention to the correct orientation with reference to the "TOP" marking on the connector. Fasten the Ø5 LBS HARDWOOD EVO positioning screws (optional).



Insert STA dowels Ø16 and then close with TAPS timber plugs. Insert the MEGABOLT bolts through the first core of the connector.




Place the ALUMEGA HP connector on concrete with INA threaded rods Ø12 and VIN-FIX resin, according to the installation instructions. Lift the secondary beam from the bottom upwards, and only screw the upper MEGABOLT bolt fully in when the ALUMEGA JS connector is positioned above the ALUMEGA HP connector.




Hook the secondary beam from top to bottom using the upper positioning notch in the ALUMEGA HP connector. Fully screw in the remaining MEGABOLT bolts with a 10 mm hexagonal wrench and insert the TAPS timber plugs into the round holes.


■ VISIBLE "TOP-DOWN" INSTALLATION




Place the ALUMEGA JV connector on the secondary beam, paying particular attention to the orientation according to the "TOP" marking on the connector. Then, fasten the Ø5 LBS HARDWOOD EVO positioning screws.



Place the VGU washer in the slotted hole and, using the JIG-VGU jig, drill a Ø5 pilot hole with a minimum length of 50 mm. Install the VGS screw and respect the 45° angle of insertion. Insert the MEGABOLT bolts in the following way: the first bolt must pass completely through both cores of the connector, while the other bolts must only pass through the first core.



Fasten the ALUMEGA HP connector to steel using M12 bolts and washer, MEGABOLT bolts can be used. Hook the secondary beam from top to bottom using the upper positioning notch in the ALUMEGA HP connector.



Fully tighten the MEGABOLT bolts with a 10 mm hexagonal wrench.